

# Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

<b>Establishment Name</b> TUMBLEWEED	<b>Telephone Number</b> Est 812-945-0177 Own 502-618-8357	<b>Date of Inspection</b> 03/16/2022	<b>ID#</b>
<b>Address</b> 2005 STATE STREET, NEW ALBANY IN 47150			
<b>Owner</b> TW-INDIANA, INC.	<b>Purpose</b> <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b>	<b>Released</b> 03/16/2022
<b>Owner's Address</b> 2301 RIVER ROAD, SUITE 200 LOUISVILLE, KY 40206-		<b>Menu Type</b> 1 _ 2 _ 3 <u>X</u> 4 _ 5 _	
<b>Person in Charge</b> STACY BLAIR			
<b>Responsible Person's Email</b> STATESTREET@TUMBLEWEEDINC.NET			
<b>Certified Food Handler</b> STACEY BLAIR			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
191	X			Observed no date mark on cooked baked beans and queso mix in prep cooler.	Corrected
294	X		X	Measured quat sanitizer dispensing below 200 ppm. PIC discovered a clog on the hose. Sani buckets were replaced throughout establishment.	Corrected
218		X		Observed self closer on walk in cooler door to be broken. Observed self closer on exterior door to be leaking oil. PIC was aware of both and has submitted a work order to get them repaired.	1 month
234		X		Observed ice cream scoop stored in a container without running water. Observed melted ice cream in the container. When speaking with the PIC it was decided scoops would only be used once then taken to the warewash and replaced with a clean one.	Corrected
297		X		Observed exterior door leading to dumpster to have a buildup of dried grease.	3 days
309		X		Observed the exhasut fan in woman's restroom to not be running.	1 month
430		X		Observed grout missing around floor drain and adjacent floor tiles in bar. Observed these areas collecting water.	1 month
392		X		Observed dumpster lid left open.	Corrected

**Summary of Violations**      C    2      NC    6      R    1

Received by (name and title printed):		Inspected by (name and title printed): Thomas Snider CFS	
Received by (signature):		Inspected by (signature): <i>Thomas Snider</i>	
cc:	cc:	cc:	